



Semag Mortar / Semag Grout

SECTION 1. IDENTIFICATION

Product Identifier Semag Mortar / Semag Grout

Other Means of

none

Identification

Product Family calcium salts, inorganic mineral aggregates

Recommended Use Poured into forms to form concrete walls and floors. Mortar to hold brick or tile in place.

Restrictions on Use None known.

Manufacturer/Supplier The Stebbins Engineering and Manufacturing Company, 363 Eastern Boulevard, Watertown,

Identifier NY, 13601, (315) 782-3000, www.stebbinseng.com

Emergency Phone No. Chemtrec - Within North America, 1-800-424-9300, 24 hours

Stebbins 24 Hour Contact-, 1-315-788-6624

SDS No. 039

SECTION 2. HAZARD IDENTIFICATION

Classification

Skin corrosion - Category 1A; Serious eye damage - Category 1; Skin sensitization - Category 1; Carcinogenicity - Category 1A; Specific target organ toxicity (single exposure) - Category 3

Label Elements







Signal Word: Danger

Hazard Statement(s):

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.
 H335 May cause respiratory irritation.
 H350 May cause cancer if inhaled.

Precautionary Statement(s):

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust.

P264 Wash hands and skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P310 Immediately call a POISON CENTRE or doctor.

P302 + P352 IF ON SKIN: Wash with plenty of water.

Product Identifier: Semag Mortar / Semag Grout - Ver. 4 SDS No.: 039

Date of Preparation: June 20, 2016

Date of Last Revision: May 05, 2020 Page 01 of 07

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P363 Wash contaminated clothing before reuse.

P501 Dispose of contents and container in accordance with local, regional, national and international regulations.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	%	Other Identifiers	Other Names
Silica, quartz	14808-60-7	varies	SiO ₂	
In Portland and blended cements: tricalcium silicate	12168-85-3	varies	3CaO-Al₂O₃	
In Portland and blended cements: calcium sulfate, anhydrous	7778-18-9	varies	CaSO ₄ -2H ₂ O	
In Portland and blended cements: silicic acid, calcium salt (1:2)	10034-77-2	varies	2CaO-SiO₂	
In Portland and blended cements: aluminum calcium iron oxide	12068-35-8	varies	4CaO-Al ₂ O ₃	
In Portland and blended cements: dialuminum calcium tetraoxide	79176-81-1	varies	3CaO-Al ₂ O₃	

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Move to fresh air. If experiencing respiratory symptoms (e.g. coughing, shortness of breath, wheezing), call a Poison Centre or doctor. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by Poison Centre or doctor.

Skin Contact

Avoid direct contact. Wear chemical protective clothing if necessary. Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Quickly and gently blot or brush away excess chemical. Wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 5 minutes. If skin irritation or a rash occurs, get medical advice or attention. Get medical advice or attention if you feel unwell or are concerned. Clean clothing, shoes and leather goods.

Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for at least 30 minutes, while holding the eyelid(s) open. Remove contact lenses, if present and easy to do. If eye irritation persists, get medical advice or attention.

Ingestion

Immediately call a Poison Centre or doctor. Specific treatment is required. Never give anything by mouth if person is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. Rinse mouth with water. If vomiting occurs naturally, lie on your side in the recovery position. Rinse mouth with water again.

Most Important Symptoms and Effects, Acute and Delayed

If inhaled: may cause respiratory irritation. If on skin: may burn the skin. Permanent scarring may result. In rare cases, may cause an allergic skin reaction. If in eyes: may cause serious eye damage. May irritate or burn the eyes. Permanent damage including blindness may result. If swallowed: can burn the lips, tongue, throat and stomach.

Immediate Medical Attention and Special Treatment

Target Organs

Respiratory system, skin, eyes.

Medical Conditions Aggravated by Exposure

Product Identifier: Semag Mortar / Semag Grout - Ver. 4 SDS No.: 039

Date of Preparation: June 20, 2016

Date of Last Revision: May 05, 2020 Page 02 of 07

Respiratory conditions, skin conditions, eye conditions.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Not combustible. Use extinguishing agent suitable for surrounding fire.

Specific Hazards Arising from the Product

This product presents no unusual hazards in a fire situation.

Special Protective Equipment and Precautions for Fire-fighters

No special precautions are necessary.

Fire-fighters may enter the area if positive pressure SCBA and full Bunker Gear is worn.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Use the personal protective equipment recommended in Section 8 of this safety data sheet.

Environmental Precautions

It is good practice to prevent releases into the environment.

Methods and Materials for Containment and Cleaning Up

Collect using shovel/scoop or approved HEPA vacuum and place in a suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Avoid breathing in this product. Do not get in eyes, on skin or on clothing. Do not swallow. Only use where there is adequate ventilation.

Conditions for Safe Storage

Store in an area that is: dry. Protect product from contact with water, including humidity. Prevent rainwater and ground water from reaching storage area.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Not available.

Appropriate Engineering Controls

Use local exhaust ventilation and enclosure, if necessary, to control amount in the air. Provide eyewash in work area, if contact or splash hazard exists.

Individual Protection Measures

Eve/Face Protection

Wear approved safety glasses.

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.

Respiratory Protection

Wear a NIOSH approved air-purifying respirator with N100, R100, or P100 filter(s).

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties Appearance Grey powder.

Odour Odourless

Product Identifier: Semag Mortar / Semag Grout - Ver. 4 SDS No.: 039

Date of Preparation: June 20, 2016

Date of Last Revision: May 05, 2020 Page 03 of 07

Odour Threshold Not available

PH Reacts with water to form an alkaline solution.Melting Point/Freezing Point Not available (melting); Not available (freezing)

Boiling Range Not available
Flash Point Not applicable
Evaporation Rate Not available
Flammability (solid, gas) Will not burn.

Upper/Lower Flammability or

Explosive Limit

Not applicable (upper); Not applicable (lower)

Vapour PressureNot availableVapour Density (air = 1)Not applicableRelative Density (water = 1)1.9 - 2.4

Solubility Slightly soluble (0.1-1%) in water; Not available (in other liquids)

Partition Coefficient, n- Not available

Octanol/Water (Log Kow)

Auto-ignition TemperatureNot applicableDecomposition TemperatureNot available

Viscosity Not available (kinematic); Not available (dynamic)

Other Information

Physical State Solid

Bulk Density 118.6 - 149.8 lb/ft3 (1900.0 - 2400.0 kg/m3)

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions of use.

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

None expected under normal conditions of storage and use.

Conditions to Avoid

Freezing. Prolonged exposure to air. Generation of dust. Water, moisture or humidity. Acidic conditions (low pH).

Incompatible Materials

Releases excessive heat on contact with: strong acids (e.g. hydrochloric acid).

Not corrosive to metals.

Hazardous Decomposition Products

None known.

SECTION 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure

Skin contact; eye contact. if dust is generated: inhalation.

Acute Toxicity

LC50 (Inhalation)

No information was located.

LD50 (Oral)

No information was located.

LD50 (Dermal)

Product Identifier: Semag Mortar / Semag Grout - Ver. 4 SDS No.: 039

Date of Preparation: June 20, 2016

Date of Last Revision: May 05, 2020 Page 04 of 07

No information was located.

Skin Corrosion/Irritation

Human experience shows moderate or severe irritation.

Serious Eye Damage/Irritation

Human experience shows serious eye irritation.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

If dust is generated: may cause nose and throat irritation.

Skin Absorption

Can cause skin irritation.

Ingestion

No information was located.

Aspiration Hazard

Not known to be an aspiration hazard.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

Following skin contact: symptoms may include dry, red, cracked skin (dermatitis). If dust is generated: if inhaled: may cause lung injury.

Respiratory and/or Skin Sensitization

Not known to be a respiratory sensitizer. Not known to be a skin sensitizer.

Carcinogenicity

IARC: Group 1 - Carcinogenic to humans. (Silica, quartz). (Silica, tridymite). (Silica, cristobalite)

ACGIH®: A2 - Suspected human carcinogen. (Silica, tridymite). (Silica, cristobalite)

NTP: Known human carcinogen. (Silica, cristobalite). (Silica, quartz). (Silica, tridymite).

Key to Abbreviations

ACGIH® = American Conference of Governmental Industrial Hygienists. IARC = International Agency for Research on Cancer. NTP = National Toxicology Program.

Reproductive Toxicity

Development of Offspring

Not known to harm the unborn child.

Sexual Function and Fertility

Not known to cause effects on sexual function or fertility.

Effects on or via Lactation

Not known to cause effects on or via lactation.

Germ Cell Mutagenicity

Not known to be a mutagen.

Interactive Effects

No information was located.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Can cause sharp increase in pH value in aquatic environments.

Persistence and Degradability

Does not degrade rapidly based on quantitative tests.

Bioaccumulative Potential

No information was located.

Mobility in Soil

No information was located.

Product Identifier: Semag Mortar / Semag Grout - Ver. 4 SDS No.: 039

Date of Preparation: June 20, 2016

Date of Last Revision: May 05, 2020 Page 05 of 07

Other Adverse Effects

There is no information available.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Contact local environmental authorities for approved disposal or recycling methods in your jurisdiction.

SECTION 14. TRANSPORT INFORMATION

This section is not required by WHMIS 2015. This section is not required by OSHA HCS 2012.

Not regulated under Canadian TDG regulations. Not regulated under US DOT Regulations. Not regulated under IATA Regulations.

Regulation	UN No.	Proper Shipping Name	Transport Haza Class(es)	Packing Group
US DOT		Non-Regulated		
IATA (Air)		Non-Regulated		
IMO (Marine)		Non-Regulated		
Canadian TDG		Non-Regulated		

Special Precautions Not applicable

Transport in Bulk according to International Maritime Organization Instruments

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

Canada

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL or are not required to be listed.

CEPA - National Pollutant Release Inventory (NPRI)

Not specifically listed.

USA

Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.

SECTION 16. OTHER INFORMATION

NFPA Rating Health - 1 Flammability - 0 Instability - 1

SDS Prepared By B.E.R.

Phone No. (315) 782-3000

Date of Preparation June 20, 2016

Date of Last Revision May 05, 2020

Revision Indicators Revision 4

The following SDS content was changed on May 05, 2020:

reviewed and approved

Key to Abbreviations ACGIH® = American Conference of Governmental Industrial Hygienists

IARC = International Agency for Research on Cancer

NIOSH = National Institute for Occupational Safety and Health

NTP = National Toxicology Program

References CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS).

Product Identifier: Semag Mortar / Semag Grout - Ver. 4 SDS No.: 039

Date of Preparation: June 20, 2016

Date of Last Revision: May 05, 2020 Page 06 of 07

HSDB® database. US National Library of Medicine. Available from Canadian Centre for Occupational Health and Safety (CCOHS). NIOSH Pocket Guide database. National Institute for Occupational Safety and Health. Available from Canadian Centre for Occupational Health and Safety (CCOHS). Registry of Toxic Effects of Chemical Substances (RTECS®) database. Dassault Systèmes/BIOVIA ("BIOVIA"). Available from Canadian Centre for Occupational Health and Safety (CCOHS).

Disclaimer

NOTE: The information contained herein is, to the best of our knowledge, accurate and reliable. However, no warranty is expressed or implied regarding the accuracy of this information, or the results to be obtained from the use thereof.

Product Identifier: Semag Mortar / Semag Grout - Ver. 4

Date of Preparation: June 20, 2016 Date of Last Revision:

May 05, 2020

Page

SDS No.: 039

07 of

07