



# Elastomeric Grout, Part A

## SECTION 1. IDENTIFICATION

**Product Identifier** Elastomeric Grout, Part A  
**Other Means of Identification** Urethane Elastomer  
**Product Family** Hydroxyl terminated polyol  
**Recommended Use** Mixed with another component to form a corrosion-resistant pourable grout.  
**Restrictions on Use** None known.  
**Manufacturer/Supplier Identifier** The Stebbins Engineering and Manufacturing Company, 363 Eastern Boulevard, Watertown, NY, 13601, (315) 782-3000, www.stebbinseng.com  
**Emergency Phone No.** Chemtrec - Within North America, 1-800-424-9300, 24 hours  
Stebbins 24 Hour Contact-, 1-315-788-6624  
**SDS No.** 126

## SECTION 2. HAZARD IDENTIFICATION

### Classification

Skin irritation - Category 2; Eye irritation - Category 2B

### Label Elements



Signal Word:  
Warning

### Hazard Statement(s):

H315 Causes skin irritation.  
H320 Causes eye irritation.

### Precautionary Statement(s):

P264 Wash hands and skin thoroughly after handling.  
P280 Wear protective gloves.  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P332 + P313 If skin irritation occurs: Get medical advice/attention.  
P337 + P313 If eye irritation persists: Get medical advice/attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	%	Other Identifiers	Other Names
Titanium dioxide	13463-67-7	0.5%		
proprietary organic polyol		< 5%		
proprietary organic polyol		< 35%		
Silica, quartz (non-respirable)	14808-60-7	< 70		

## SECTION 4. FIRST-AID MEASURES

### First-aid Measures

#### Inhalation

Move to fresh air. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by Poison Centre or doctor. Get medical advice or attention if you feel unwell or are concerned.

#### Skin Contact

Clean clothing, shoes and leather goods. Wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 5 minutes.

#### Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. If eye irritation persists, get medical advice or attention.

#### Ingestion

Rinse mouth with water. Get medical advice or attention if you feel unwell or are concerned.

### Most Important Symptoms and Effects, Acute and Delayed

If on skin: causes mild irritation. If in eyes: may cause moderate to severe irritation.

### Immediate Medical Attention and Special Treatment

#### Target Organs

Skin, eyes.

## SECTION 5. FIRE-FIGHTING MEASURES

### Extinguishing Media

#### Suitable Extinguishing Media

Carbon dioxide, dry chemical powder, appropriate foam, water spray or fog.

### Specific Hazards Arising from the Product

Can ignite if strongly heated.

### Special Protective Equipment and Precautions for Fire-fighters

No special precautions are necessary.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment, and Emergency Procedures

Do not touch damaged containers or spilled product unless wearing appropriate protective equipment. Use the personal protective equipment recommended in Section 8 of this safety data sheet.

### Environmental Precautions

It is good practice to prevent releases into the environment.

### Methods and Materials for Containment and Cleaning Up

Collect using shovel/scoop or approved HEPA vacuum and place in a suitable container for disposal.

## SECTION 7. HANDLING AND STORAGE

### Precautions for Safe Handling

Prevent skin contact. Do not get in eyes. Avoid generating dusts.

### Conditions for Safe Storage

Store in an area that is: cool, dry, well-ventilated.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

This product contains silica, however in the course of normal use of this product, the silica is in a non-respirable state.

However, if this product is ground, sanded, or otherwise damaged in its cured state, silica may be released. The control parameters for silica are as follows:

OSHA: the action level for respirable silica is 25 µg/m<sup>3</sup> (8 hour TWA). Below this level, no special action need be taken.

Above it, 1926.1153 applies in full.

OSHA PEL: 50 µg/m<sup>3</sup> (8 hour TWA).

### Appropriate Engineering Controls

General ventilation is usually adequate.

### Individual Protection Measures

#### Eye/Face Protection

Not required but it is good practice to wear safety glasses or chemical safety goggles.

#### Skin Protection

No PPE is required for handling this product. However, the hardener associated with this product does require PPE. Please consult the SDS for Insulating Grout, Part B before use.

#### Respiratory Protection

No PPE is required for handling this product. However, the hardener associated with the product does require PPE. Please consult the SDS for Insulating Grout, Part B before use.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### Basic Physical and Chemical Properties

Appearance	White viscous liquid.
pH	Not available
Melting Point/Freezing Point	Not available (melting); Not available (freezing)
Boiling point/Initial boiling point	500 °F (260 °C)
Flash Point	> 300 °F (149 °C) (open cup)
Evaporation Rate	Not applicable
Flammability (solid, gas)	Not applicable
Upper/Lower Flammability or Explosive Limit	Not available (upper); Not available (lower)
Vapour Pressure	Not applicable
Vapour Density (air = 1)	Not applicable
Relative Density (water = 1)	1.49
Solubility	Practically insoluble in water; Not available (in other liquids)
Partition Coefficient, n-Octanol/Water (Log Kow)	Not available
Auto-ignition Temperature	Not available
Decomposition Temperature	Not available
Viscosity	Not available (kinematic); Not available (dynamic)

### Other Information

Product Identifier: Elastomeric Grout, Part A - Ver. 2  
Date of Preparation: October 30, 2017  
Date of Last Revision: May 27, 2020

SDS No.: 126

Page 03 of 06

**Physical State** Liquid  
**Bulk Density** 93.0 lb/ft<sup>3</sup> (1489.7 kg/m<sup>3</sup>)

## SECTION 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive.

### Chemical Stability

Normally stable.

### Possibility of Hazardous Reactions

None expected under normal conditions of storage and use.

### Conditions to Avoid

Open flames, sparks, static discharge, heat and other ignition sources. Freezing.

### Hazardous Decomposition Products

Flammable chemicals; very toxic carbon monoxide, carbon dioxide.

## SECTION 11. TOXICOLOGICAL INFORMATION

### Likely Routes of Exposure

Skin contact; eye contact.

### Skin Corrosion/Irritation

May cause mild irritation based on information for closely related chemicals.

### Serious Eye Damage/Irritation

May cause mild irritation based on information for closely related chemicals.

### STOT (Specific Target Organ Toxicity) - Single Exposure

#### Inhalation

This product is not an inhalation hazard.

#### Skin Absorption

Not harmful based on information for closely related materials.

#### Ingestion

This product is not an ingestion hazard.

### Aspiration Hazard

Not known to be an aspiration hazard.

### STOT (Specific Target Organ Toxicity) - Repeated Exposure

Not harmful based on information for closely related chemicals.

### Respiratory and/or Skin Sensitization

Not known to be a respiratory sensitizer. Not known to be a skin sensitizer.

### Carcinogenicity

Not a carcinogen.

### Reproductive Toxicity

#### Development of Offspring

Not known to harm the unborn child.

#### Sexual Function and Fertility

Not known to cause effects on sexual function or fertility.

#### Effects on or via Lactation

Not known to cause effects on or via lactation.

### Germ Cell Mutagenicity

Not known to be a mutagen.

---

Product Identifier: Elastomeric Grout, Part A - Ver. 2  
Date of Preparation: October 30, 2017  
Date of Last Revision: May 27, 2020

SDS No.: 126

Page 04 of 06

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Studies were not located.

### Persistence and Degradability

No information was located.

### Bioaccumulative Potential

This product and its degradation products are not known to bioaccumulate.

### Mobility in Soil

No information was located.

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal Methods

Bury in a licensed landfill or burn in an approved incinerator according to federal, provincial/state, and local regulations. Contact local environmental authorities for approved disposal or recycling methods in your jurisdiction.

## SECTION 14. TRANSPORT INFORMATION

Not regulated under Canadian TDG regulations. Not regulated under US DOT Regulations. Not regulated under IATA Regulations.

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
US DOT		Non-Regulated		
IMO (Marine)		Non-Regulated		
IATA (Air)		Non-Regulated		
Canadian TDG		Non-Regulated		

**Environmental Hazards** Not applicable

**Special Precautions** Not applicable

### Transport in Bulk according to International Maritime Organization Instruments

Not applicable

**Emergency Response Guide No.** 171

## SECTION 15. REGULATORY INFORMATION

### Safety, Health and Environmental Regulations

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by the Controlled Products Regulations.

#### Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL/NDSL.

#### CEPA - National Pollutant Release Inventory (NPRI)

Not specifically listed.

#### USA

#### Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.

Product Identifier: Elastomeric Grout, Part A - Ver. 2

SDS No.: 126

Date of Preparation: October 30, 2017

Date of Last Revision: May 27, 2020

Page 05 of 06

## SECTION 16. OTHER INFORMATION

<b>NFPA Rating</b>	<b>Health - 1    Flammability - 1    Instability - 0</b>
<b>SDS Prepared By</b>	B.E.R
<b>Phone No.</b>	(315) 782-3000
<b>Date of Preparation</b>	October 30, 2017
<b>Date of Last Revision</b>	May 27, 2020
<b>Revision Indicators</b>	Revision 2 The following SDS content was changed on May 27, 2020: Additional Information; reviewed and approved
<b>Key to Abbreviations</b>	ACGIH® = American Conference of Governmental Industrial Hygienists HSDB® = Hazardous Substances Data Bank IARC = International Agency for Research on Cancer NFPA = National Fire Protection Association NIOSH = National Institute for Occupational Safety and Health NTP = National Toxicology Program OSHA = US Occupational Safety and Health Administration RTECS® = Registry of Toxic Effects of Chemical Substances
<b>References</b>	CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS). HSDB® database. US National Library of Medicine. Available from Canadian Centre for Occupational Health and Safety (CCOHS). NIOSH Pocket Guide database. National Institute for Occupational Safety and Health. Available from Canadian Centre for Occupational Health and Safety (CCOHS). Registry of Toxic Effects of Chemical Substances (RTECS®) database. Dassault Systèmes/BIOVIA ("BIOVIA"). Available from Canadian Centre for Occupational Health and Safety (CCOHS).
<b>Disclaimer</b>	NOTE: The information contained herein is, to the best of our knowledge, accurate and reliable. However, no warranty is expressed or implied regarding the accuracy of this information, or the results to be obtained from the use thereof.